UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/526,011	02/25/2005	Nobuki Matsui	4633-0134PUS1	2824

2292 7590 08/29/2008

BIRCH STEWART KOLASCH & BIRCH
PO BOX 747
FALLS CHURCH, VA 22040-0747

EXAMINER	
CHUO, TONY SHENG HSIANG	
ART UNIT	**PAPER NUMBER**
1795	

NOTIFICATION DATE	DELIVERY MODE
08/29/2008	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

mailroom@bskb.com

Office Action Summary	Application No.	Applicant(s)	
	10/526,011	MATSUI ET AL.	
	Examiner	Art Unit	
	Tony Chuo	1795	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE *3* MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1)☐ Responsive to communication(s) filed on _____.

2a)☐ This action is **FINAL**. 2b)☒ This action is non-final.

3)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4)☒ Claim(s) *1-6* is/are pending in the application.

4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5)☐ Claim(s) _____ is/are allowed.

6)☒ Claim(s) *1-6* is/are rejected.

7)☐ Claim(s) _____ is/are objected to.

8)☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9)☒ The specification is objected to by the Examiner.

10)☒ The drawing(s) filed on *25 February 2005* is/are: a)☒ accepted or b)☐ objected to by the Examiner.

Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12)☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

a)☒ All b)☐ Some * c)☐ None of:

1.☐ Certified copies of the priority documents have been received.

2.☐ Certified copies of the priority documents have been received in Application No. _____.

3.☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) ☒ Notice of References Cited (PTO-892)
2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3) ☒ Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date *2/25/05,11/9/06,4/27/07*.
4) ☐ Interview Summary (PTO-413) Paper No(s)/Mail Date. _____ .
5) ☐ Notice of Informal Patent Application
6) ☐ Other: _____.

DETAILED ACTION

Priority

1. Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

Information Disclosure Statement

2. The information disclosure statements (IDS) submitted on 2/25/05, 11/9/06, and 4/27/07 were filed on 2/25/05, 11/9/06, and 4/27/07. The submission is in compliance with the provisions of 37 CFR 1.97. Accordingly, the information disclosure statements are being considered by the examiner.

Drawings

3. The drawings filed on 2/25/05 are accepted by the examiner.

Specification

4. The title of the invention is not descriptive. A new title is required that is clearly indicative of the invention to which the claims are directed.

5. The specification is objected to as failing to provide proper antecedent basis for the claimed subject matter. See 37 CFR 1.75(d)(1) and MPEP § 608.01(o). Correction of the following is required: The limitation “first heat exchange means for performing heat exchange between the source gas and the oxygen-containing gas prior to their

entry into the reformer" is not supported by the specification. The specification discloses a heat exchanger that effects heat exchange between the source gas and the partial oxidation gas.

Claim Rejections - 35 USC § 102

6. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

> A person shall be entitled to a patent unless –
>
> (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
>
> (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

7. Claims 1, 4, and 6 are rejected under 35 U.S.C. 102(e) as being anticipated by Haltiner, JR et al (US 2003/0235733).

Regarding claim 1, the Haltiner reference discloses a fuel cell system comprising: a reformer "106" through which an oxygen-containing gas "74" and a vaporized fuel (source gas) are flowed and which has a reformer catalyst "104" for causing the partial oxidation of hydrocarbons contained in the vaporized fuel; and a solid electrolyte fuel cell "44" & "46" that is disposed downstream of the reformer and which has a cell main unit which includes: an anode "16" which is supplied with a partial oxidation gas, a cathode "18" that is supplied with oxygen-containing gas, and an electrolyte "14" between the anode and cathode, wherein an electrode reaction of the partial oxidation

gas and the oxygen-containing gas inherently is caused to take place in the anode, cathode, and electrolyte (See paragraphs [0002],[0031],[0039] and Figure 2).

Regarding claim 4, it also discloses a start-up combustor “77” for burning the vaporized fuel and anode air feed “74” during the startup phase of the reformer and combustion gas supply means (not labeled) for supplying to the reformer “106” a combustion gas generated as a result of burning of the vaporized fuel and the anode air feed “74” in the start-up combustor so that the reformer is heated (See paragraph [0037]).

Examiner’s note: Claim 4 appears to be invoking 35 USC 112, 6th paragraph. The start-up combustor taught by Haltiner is construed as an equivalent structure for burning the source gas and the oxygen containing gas during the startup phase of the reformer. The line connecting the start-up combustor and the reformer is construed as an equivalent structure for supplying to the reformer a combustion gas generated as a result of the burning of the source gas and the oxygen-containing gas in the start-up combustor.

Regarding claim 6, it also discloses an afterburner "66" (third combustion means), a heat exchanger "92", and a cathode air feed "75" (oxygen containing gas supply means) (See paragraph [0037],[0038],[0039] and Figure 2).

Examiner’s note: Claim 6 appears to be invoking 35 USC 112, 6th paragraph. The afterburner “66” taught by Haltiner is construed as an equivalent structure for burning a source gas “110” and a first oxygen containing gas “64”. The heat exchanger “92” is construed as an equivalent structure for performing heat exchange between a

combustion gas “112” and a second oxygen containing gas “75” different from the first oxygen containing gas. The cathode air feed line “75” is construed as an equivalent structure for supplying to the cathode a second oxygen containing gas heated by the heat exchanger.

8. Claims 1, 3, and 6 are rejected under 35 U.S.C. 102(e) as being anticipated by Xu (US 6551732).

Regarding claim 1, the Xu reference discloses a fuel cell system comprising: a reformer “6” through which an oxygen-containing gas “108” and a source gas “202” are flowed and which has a catalyst for causing the partial oxidation of hydrocarbons contained in the source gas; and a solid polymer electrolyte fuel cell “3” that is disposed downstream of the reformer and which has a cell main unit which includes: an anode "22" which is supplied with a partial oxidation gas, a cathode "20" that is supplied with oxygen-containing gas, and an electrolyte between the anode and cathode, wherein an electrode reaction of the partial oxidation gas and the oxygen-containing gas inherently is caused to take place in the anode, cathode, and electrolyte (See column 5, line 28-60 and Figure 1).

Regarding claim 3, it also discloses a heat exchanger “5” (See Figure 1).

Examiner’s note: Claim 3 appears to be invoking 35 USC 112, 6th paragraph. The heat exchanger “5” taught by Xu is construed as an equivalent structure for performing heat exchange between the source gas “202” and the oxygen-containing gas “108” prior to their entry into the reformer “6”.

Regarding claim 6, it also discloses an combustor "12" (third combustion means), a heat exchanger "4", and a cathode air feed "75" (oxygen containing gas supply means) (See paragraph [0037],[0038],[0039] and Figure 2).

Examiner's note: Claim 6 appears to be invoking 35 USC 112, 6th paragraph. The combustor "12" taught by Xu is construed as an equivalent structure for burning a source gas "308" and a first oxygen containing gas "120". The heat exchanger "4" is construed as an equivalent structure for performing heat exchange between a combustion gas "312" and a second oxygen containing gas "106" different from the first oxygen containing gas. The stream "108" is construed as an equivalent structure for supplying to the reformer "6" a second oxygen containing gas heated by the heat exchanger.

9. Claims 1 and 3 are rejected under 35 U.S.C. 102(b) as being anticipated by Matsui et al (JP 2001-155747).

Regarding claim 1, the Matsui reference discloses a fuel cell system comprising: a reformer "5" through which an oxygen-containing gas "29" and a source gas "14" are flowed and which has a catalyst for causing the partial oxidation of hydrocarbons contained in the source gas; and a solid polymer electrolyte fuel cell "1" that is disposed downstream of the reformer and which has a cell main unit which includes: an anode "3" which is supplied with a partial oxidation gas, a cathode "2" that is supplied with oxygen-containing gas, and an electrolyte between the anode and cathode, wherein an electrode reaction of the partial oxidation gas and the oxygen-containing gas inherently

is caused to take place in the anode, cathode, and electrolyte (See paragraphs [0037],[0042],[0043] and Drawing 1).

Regarding claim 3, it is inherent that when the source gas mixes with the oxygen-containing gas in the line prior to their entry into the reformer, heat exchange would occur between the source gas and the oxygen-containing gas.

Examiner's note: Claim 3 appears to be invoking 35 USC 112, 6th paragraph. The line prior to the reformer taught by Matsui is construed as an equivalent structure for performing heat exchange between the source gas and the oxygen-containing gas prior to their entry into the reformer.

10. Claims 1 and 3 are rejected under 35 U.S.C. 102(b) as being anticipated by Kamiya (JP 2002-025588).

Regarding claim 1, the Kamiya reference discloses a fuel cell system comprising: a reformer "3" through which an oxygen-containing gas "26" and a source gas "22" are flowed and which has a catalyst for causing the partial oxidation of hydrocarbons contained in the source gas; and a solid polymer electrolyte fuel cell "G" that is disposed downstream of the reformer and which has a cell main unit which includes: an anode which is supplied with a partial oxidation gas, a cathode that is supplied with oxygen-containing gas, and an electrolyte between the anode and cathode, wherein an electrode reaction of the partial oxidation gas and the oxygen-containing gas inherently is caused to take place in the anode, cathode, and electrolyte (See paragraphs [0012],[0014],[0015] and Drawing 1).

Regarding claim 3, it is inherent that when the source gas "22" mixes with the oxygen-containing gas "26" in the line prior to their entry into the reformer, heat exchange would occur between the source gas and the oxygen-containing gas.

Examiner's note: Claim 3 appears to be invoking 35 USC 112, 6th paragraph. The line prior to the reformer taught by Kamiya is construed as an equivalent structure for performing heat exchange between the source gas and the oxygen-containing gas prior to their entry into the reformer.

11. Claim 2 is rejected under 35 U.S.C. 102(b) as being anticipated by Foger et al (WO 01/13452).

The Foger reference discloses a fuel cell system comprising: a pre-reformer "10" having a catalytic part which when a source gas is flowed therethrough converts hydrocarbons contained in the source gas having a carbon number equal to or greater than 2 into methane in the presence of hydrogen and which when steam (oxygen-containing gas) and the source gas are flowed therethrough, causes the partial oxidation of hydrocarbon contained in the source gas and; and a solid oxide fuel cell "14" that is disposed downstream of the reformer and which has a cell main unit which includes: an anode which is supplied with a hydrogen containing gas, a cathode that is supplied with oxygen-containing gas, and an electrolyte between the anode and cathode, wherein an electrode reaction of the hydrogen containing gas and the oxygen-containing gas inherently is caused to take place in the anode, cathode, and electrolyte (See page 4, line 8 to page 5, line 14 and Fig. 1).

Examiner's note: the startup operation and the normal operation limitations are not given patentable weight because they are construed as being intended use. Since the Foger fuel cell structure is capable of performing the intended use, it reads on the claim.

Claim Rejections - 35 USC § 103

12. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

13. Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over Matsui et al (JP 2001-155747) in view of Ogawa et al (JP 59-098471). The Matsui reference is applied to claim 1 for reasons stated above.

However, Matsui et al does not expressly teach a second combustion means for burning the source gas and the oxygen-containing gas, and a second combustion gas supply means for supplying to the oxygen electrode a combustion gas generated as a result of the burning of the source gas and the oxygen-containing gas in the second combustion means. The Ogawa reference teaches a combustor "25" for burning a fuel gas and oxidizer gas and a line "29" for supplying to the oxygen electrode a combustion gas generated as a result of the burning of the fuel gas and the oxidizer gas in the combustor "25" so that the oxygen electrode is heated (See Abstract). Examiner's note: Claim 5 appears to be invoking 35 USC 112, 6th paragraph. The combustor "25" taught

by Ogawa is construed as an equivalent structure for burning the source gas and the oxygen containing gas. The line "29" is construed as an equivalent structure for supplying to the oxygen electrode a combustion gas generated as a result of the burning of the source gas and the oxygen-containing gas in the combustor.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the Matsui fuel cell system to include a second combustion means for burning the source gas and the oxygen-containing gas, and a second combustion gas supply means for supplying to the oxygen electrode a combustion gas generated as a result of the burning of the source gas and the oxygen-containing gas in the second combustion means in order to make the temperature of every layer in the fuel cell body rise up more uniformly at the start up of the fuel cell (See Abstract).

14. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Matsui et al (JP 2001-155747) in view of Sakamoto et al (JP 11-067256). The Matsui reference is applied to claim 1 for reasons stated above.

However, Matsui et al does not expressly teach a third combustion means for burning the source gas and the oxygen-containing gas, a second heat exchange means for performing heat exchange between a combustion gas generated as a result of burning of the source gas and the first oxygen containing gas in the third combustion means and a second oxygen containing gas different from the first oxygen containing gas, and a oxygen containing gas supply means for supplying to either or both the reformer and the oxygen electrode a second oxygen containing gas heated by the

second heat exchange means. The Sakamoto reference teaches a combustor "302", a heat exchanger "303", and a line "310" for supplying to the reformer "112" a second oxygen containing gas heated by the heat exchanger (See paragraph [0034] and Drawing 1). Examiner's note: Claim 6 appears to be invoking 35 USC 112, 6th paragraph. The combustor "302" taught by Sakamoto is construed as an equivalent structure for burning the source gas and the oxygen containing gas. The heat exchanger "303" is construed as an equivalent structure for performing heat exchange between a combustion gas and a second oxygen containing gas. The line "310" is construed as an equivalent structure for supplying to the reformer a second oxygen containing gas heated by the heat exchanger.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the Matsui fuel cell system to include a third combustion means for burning the source gas and the oxygen-containing gas, a second heat exchange means for performing heat exchange between a combustion gas generated as a result of burning of the source gas and the first oxygen containing gas in the third combustion means and a second oxygen containing gas different from the first oxygen containing gas, and a oxygen containing gas supply means for supplying to either or both the reformer and oxygen electrode a second oxygen containing gas heated by the second heat exchange means in order to more easily conduct the temperature keeping or temperature rising of a catalyst reaction unit of a reformer in a fuel cell system (See Abstract).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tony Chuo whose telephone number is (571)272-0717. The examiner can normally be reached on M-F, 9:00AM to 5:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick Ryan can be reached on (571) 272-1292. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

TC

/Jonathan Crepeau/
Primary Examiner, Art Unit 1795